


**AIRTRON AT**



## **AIRTRON AT**

AIRTRON-AT, is an ir table for overlock by air impulsion.

Made of high resistance polyurethane, has an extremely slippery smooth surface, combined with the airflow, reduces the apparent weight of the piece to 80%, facilitating its handling.

It is recommended for use with overlock machines to put the perimeter of the mattress covers after being quilted facilitating the following processes.

Its use allows a better result in the quilted product and an increase of the production as well as a better position of the operator which reduces the fatigue.

## **AIRTRON AT**

Technical data:

Air treatment with autonomy (compressor is not needed).

Regulation of air flow.

"Easy-carry" wheels with brake.

Accessory to fit the looper stitching machine.


Back support to improve the comfort of the machine operator.

Installation is not required: only a 230 or 400 V.

Supplementary rollers (with AT-32).

Otras máquinas auxiliares

Optron le ofrece también la posibilidad de integrar en su línea de producción enrolladoras y cortadoras convencionales y por ultrasonidos.



Technical data AT-32 / AT-42

Total dimensions	4000 / 3000 x 2000 x 980 mm (Length x Width x Height)
Weight	450 Kg
Power	1500 W
Voltage	230 / 400 Vac (according to the customer)

Special dimensions are manufactured on demand.